


FORSTNER PATTERN BITS

CabinetWare Part Number	Cut Dia.
TLA-FO.095	3/8"
TLA-FO.127	1/2"
TLA-FO.160	5/8"
TLA-FO.190	3/4"
TLA-FO.222	7/8"
TLA-FO.254	1"
TLA-FO.285	1-1/8"
TLA-FO.317	1-1/4"
TLA-FO.349	1-3/8"
TLA-FO.350	35mm
TLA-FO.381	1-1/2"
TLA-FO.413	1-5/8"
TLA-FO.445	1-3/4"
TLA-FO.476	1-7/8"
TLA-FO.508	2"
TLA-FO.540	2-1/8"
TLA-FO.550	2-3/8"
TLA-FO.560	3-1/8"



2 wing high carbon tool steel. 3/8" shank. 3 1/2" overall length. Drill clean and chip-free pocket holes and flat bottom holes (leaves small pilot hole used for centering).

CabinetWare

THROUGH HOLE V-POINT BIT

Boring machines only / through hole drilling. Carbide-tipped. 10mm shank diameter.



Right Hand Part Number	Cut Dia.	Length	Left Hand Part Number
TLA-314005	5mm	70mm	TLA-414005
TLA-314006	6mm	70mm	TLA-414006
TLA-314008	8mm	70mm	TLA-414008
TLA-314010	10mm	70mm	TLA-414010

CabinetWare

BORING & DRILLING BIT NOTES

(Ordering history and most often used bits.)

Part Number	Remarks

AMANA TOOL CORP.


METRIC BORING BITS

Boring machines only / blind hole drilling. Carbide-tipped. 10 mm shank.



Right hand Part Number	Cut Dia.	Length	Left Hand Part Number
TLA-201004	4mm	57mm	TLA-301004
TLA-201005	5mm	57mm	TLA-301005
TLA-201051	5.1mm	57mm	TLA-301051
TLA-201006	6mm	57mm	TLA-301006
TLA-201070	7mm	57mm	TLA-301070
TLA-201008	8mm	57mm	TLA-301008
TLA-201090	9mm	57mm	TLA-301090
TLA-201010	10mm	57mm	TLA-301010
TLA-201012	12mm	57mm	TLA-301012
TLA-201014	14mm	57mm	TLA-301014
TLA-201015	15mm	57mm	TLA-301015
TLA-202005	5mm	77mm	TLA-302005
TLA-202008	8mm	77mm	TLA-302008

Boring machines only / blind hole drilling. Carbide-tipped. 10 mm shank.



Right hand Part Number	Cut Dia.	Length	Left Hand Part Number
TLA-203201	20mm	57mm	TLA-203205
TLA-203221	22mm	57mm	TLA-203225
TLA-203251	25mm	57mm	TLA-203255
TLA-203261	26mm	57mm	TLA-203265
TLA-203281	28mm	57mm	TLA-203285
TLA-203301	30mm	57mm	TLA-203305
TLA-203351	35mm	57mm	TLA-203355
TLA-203401	40mm	57mm	TLA-203405

CabinetWare

ADJUSTABLE COUNTERSINK

Carbide-tipped. 2 wing. Max. 7/16" depth of cut. Accepts drills from 3/32" through 9/32" (wood screws #2 through #18).

TLA-20200



Please note - Some products featured in this catalog may not be stock items. See CabinetWare.com for current stock availability.

ABRASIVE TYPE PLUNGE BIT




Solid carbide. Suitable for cutting fiberglass, tile and other highly abrasive materials. Diamond pattern cutting edges abrades (grinds) material rather than cutting like standard router bits. Coarse or fine.

Part Number	Cut Dia.	Cut Length	Shank Dia.	Type of cut
TLA-46110	1/4"	3/4"	1/4"	Fine
TLA-46112	1/4"	3/4"	1/4"	Coarse


CabinetWare

BULL NOSE RADIUS BITS



2 flutes. 1/2" shank diameter. 180° round over 1/2" (17/64" radius) and 3/4" (3/8" radius) thick material.

Part Number	'R' Rad	'C' Cut Length	'H' Cut Length	Bit Dia.
TLA-51556	13/64"	13/32"	1"	25/32"
TLA-51558	17/64"	17/32"	1"	1-1/32"
TLA-51559	5/16"	5/8"	1"	1-1/8"
TLA-51560	3/8"	3/4"	1-5/16"	1-1/4"
TLA-51562	1/2"	1"	1-9/16"	1-11/16"
TLA-51564	5/8"	1-1/4"	2"	2"




With ball bearing guide. 2 flutes. 1/2" shank diameter. 180° round over 1/2" (17/64" radius) thick material. Useful for template or pattern routing. Ball bearing is the same size as the small diameter of the tool and rides against the template for an exact duplication.

Part Number	'R' Rad	'C' Cut Length	'H' Cut Length	Bit Dia.
TLA-51570	17/64"	17/32"	1"	1-1/16"
TLA-51572	3/8"	3/4"	1-5/16"	1-3/8"
TLA-51574	1/2"	1"	1-19/32"	1-13/16"
TLA-51576	5/8"	1-1/4"	2"	2"

DON'T HAVE A FIT. CABINETWARE HAS THE RIGHT BIT.

BEADING BITS




2 flutes with ball bearing guide.

Part Number	Rad	Bit Dia.	Carbide Height	Shank Dia.
TLA-49592	1/16"	5/8"	1/2"	1/4"
TLA-49594	1/16"	5/8"	1/2"	1/2"
TLA-49596	1/8"	3/4"	1/2"	1/4"
TLA-49598	1/8"	3/4"	1/2"	1/2"
TLA-49600	3/16"	7/8"	1/2"	1/4"
TLA-49602	3/16"	7/8"	1/2"	1/2"
TLA-49604	1/4"	1"	1/2"	1/4"
TLA-49606	1/4"	1"	1/2"	1/2"
TLA-49608	5/16"	1-1/8"	1/2"	1/4"
TLA-49610	5/16"	1-1/8"	1/2"	1/2"
TLA-49612	3/8"	1-1/4"	5/8"	1/4"
TLA-49614	3/8"	1-1/4"	5/8"	1/2"
TLA-49616	1/2"	1-1/2"	3/4"	1/4"
TLA-49618	1/2"	1-1/2"	3/4"	1/2"
TLA-49619	5/8"	1-3/4"	7/8"	1/2"
TLA-49620	3/4"	2"	1"	1/2"
TLA-49621	7/8"	2-1/2"	1-1/4"	1/2"

CabinetWare

CHAMFER BITS



With ball bearing guide. 2 flutes. 1/2" shank dia. TLA-49400, TLA-49408 & TLA-49412 = 1/4" shank dia. TLA-49404 will completely chamfer 3/4" material. TLA-49406 will completely chamfer 1" material. TLA-49410 cuts octagonal shapes or use for decorative work.

Part Number	Angle	Bit Dia.	'H' Cut Height	'C' Cut Length
TLA-49400	45°	1-1/4"	1/2"	5/8"
TLA-49402	45°	1-1/4"	1/2"	5/8"
TLA-49404	45°	2"	13/16"	1-1/8"
TLA-49406	45°	2-1/2"	1-1/16"	1-1/2"
TLA-49408	15°	27/32"	11/16"	21/32"
TLA-49410	22½°	1-1/4"	15/16"	13/16"
TLA-49412	30°	1-3/16"	3/4"	7/8"
TLA-49414	30°	1-3/16"	3/4"	7/8"

CabinetWare


DOOR LIP ASSEMBLY



Corner round and taper rabbet.

Part Number	Dia.	Rad	Cut Height	Shank Dia.
TLA-55300	1-9/16"	3/8"	1"	1/2"

CONVEX EDGING BIT




2 flutes. 2 1/2" overall length. Cuts a shallow 'thumbnail' radius. 23/32" Radius 'R'. 13/16" Bit dia.


Part Number	'C' Cut Length	'H' Cut Height.	Shank Dia.
TLA-51580	27/32"	1-1/4"	1/4"
TLA-51582	27/32"	1-1/4"	1/2"

CabinetWare

CORE BOX BITS




Part Number	Rad	Cut Dia.	Carbide Height	Shank Dia.
TLA-45900	1/16"	1/8"	1/4"	1/4"
TLA-45902	3/32"	3/16"	1/4"	1/4"
TLA-45904	1/8"	1/4"	1/4"	1/4"
TLA-45906	3/16"	3/8"	1/4"	1/4"
TLA-45908	3/16"	3/8"	1/4"	1/2"
TLA-45910	1/4"	1/2"	5/16"	1/4"
TLA-45912	1/4"	1/2"	5/16"	1/2"
TLA-45914	5/16"	5/8"	3/8"	1/4"
TLA-45916	5/16"	5/8"	3/8"	1/2"
TLA-45918	3/8"	3/4"	1/2"	1/4"
TLA-45920	3/8"	3/4"	1/2"	1/2"
TLA-45922	7/16"	7/8"	5/8"	1/2"
TLA-45924	1/2"	1"	5/8"	1/4"
TLA-45926	1/2"	1"	5/8"	1/2"
TLA-45928	5/8"	1-1/4"	3/4"	1/2"



With ball bearing guide. Useful for template and pattern routing where the template is on top of the workpiece. The pattern will be on the bottom if used on a router table. 2 flutes.

Part Number	Cutting Dia.	Cutting Height	Shank Dia.
TLA-45950	1/2"	1/2"	1/4"

CORNER BEADING BITS




2 flutes with ball bearing guide.
1/2" shank dia. TLA-54160, TLA-54164,
& TLA54168 = 1/4" shank dia.

Part Number	'R' Rad	Bit Dia.	'C' Cut Length	Cut Height
TLA-54160	1/8"	7/8"	1/4"	9/16"
TLA-54162	1/8"	7/8"	1/4"	9/16"
TLA-54164	3/16"	1-1/8"	3/8"	11/16"
TLA-54166	3/16"	1-1/8"	3/8"	11/16"
TLA-54168	9/32"	1-1/4"	9/16"	3/4"
TLA-54170	9/32"	1-1/4"	9/16"	3/4"
TLA-54172	3/8"	1-1/2"	3/4"	1"

CabinetWare

DOUBLE ROUND OVER BIT



With ball bearing guide. Rounds both top and bottom edges in one pass. Adjustable assembly with three wings cuts 3/8" to 1-1/4" thick material.

Part Number	Bit Dia.	Each Radius	Shank Dia.
TLA-49750	1-1/2"	3/16"	1/2"

CabinetWare

COVE & BEAD BITS



With ball bearing guide. 2 flutes.
TLA-54102 & TLA-54106 have a 1/4" shank. TLA-54104 & TLA-54108 have a 1/2" shank.

Part Number	Bit Dia.	Rad 1	Rad 2	Carbide Height
TLA-54102	1-1/4"	5/16"	13/64"	1/2"
TLA-54104	1-1/4"	5/16"	13/64"	1/2"
TLA-54106	1-1/2"	7/32"	15/64"	5/8"
TLA-54108	1-1/2"	7/32"	15/64"	5/8"

COVE BITS




With ball bearing guide. 2 flutes.

Part Number	Rad	Bit Dia.	Carbide Height	Shank Dia.
TLA-49092	1/16"	1/2"	1/2"	1/4"
TLA-49094	1/8"	5/8"	1/2"	1/4"
TLA-49100	3/16"	3/4"	9/16"	1/4"
TLA-49102	3/16"	3/4"	9/16"	1/2"
TLA-49104	1/4"	7/8"	9/16"	1/4"
TLA-49106	1/4"	7/8"	9/16"	1/2"
TLA-49108	5/16"	1"	9/16"	1/4"
TLA-49110	5/16"	1"	9/16"	1/2"
TLA-49112	3/8"	1-1/8"	9/16"	1/4"
TLA-49114	3/8"	1-1/8"	9/16"	1/2"
TLA-49116	1/2"	1-3/8"	3/4"	1/4"
TLA-49118	1/2"	1-3/8"	3/4"	1/2"
TLA-49119	5/8"	1-5/8"	11/16"	1/2"
TLA-49120	3/4"	1-7/8"	1"	1/2"
TLA-49121†	7/8"	2-3/8"	1-1/4"	1/2"
TLA-49122†	1"	2-3/8"	1-1/4"	1/2"

†Not guaranteed due to extreme diameter and radius. For best results, it is recommended to use a smaller radius bit or chamfer the material prior to using these large radius bits. Bit life will be prolonged and a smoother finish will result.

CabinetWare

KEYHOLE BITS



Single flute.

Used for cutting keyhole slots.

Part Number	Cut Dia.	Cut Depth	Shank Dia.
TLA-45650	3/8"	3/8"	1/4"
TLA-45652	1/2"	3/8"	1/4"

CabinetWare

GLUE JOINT BIT



2 flutes. Can be used on 5/8" through 1" thick material. Second piece is cut upside-down to the first for a perfect fit.

Part Number	Dia.	Cutting Length	Shank Dia.
TLA-55388	1-7/8"	1-3/32"	1/2"

CLASSICAL COVE BITS




With ball bearing guide. 2 flutes.

Part Number	Bit Dia.	Rad	Carbide Height	Shank Dia.
TLA-54144	1-1/8"	3/16"	1/2"	1/4"
TLA-54146	1-3/8"	5/16"	5/8"	1/4"
TLA-54148	1-1/8"	3/16"	1/2"	1/2"
TLA-54150	1-3/8"	5/16"	5/8"	1/2"

CabinetWare

CORNER ROUNDING BITS



With ball bearing guide. 2 flutes.

Part Number	Rad	Bit Dia.	Carbide Height	Shank Dia.
TLA-49492	1/16"	5/8"	1/2"	1/4"
TLA-49494	1/16"	5/8"	1/2"	1/2"
TLA-49496	1/8"	3/4"	1/2"	1/4"
TLA-49498	1/8"	3/4"	1/2"	1/2"
TLA-49499	5/32"	3/4"	1/2"	1/4"
TLA-49500	3/16"	7/8"	1/2"	1/4"
TLA-49502	3/16"	7/8"	1/2"	1/2"
TLA-49504	1/4"	1"	1/2"	1/4"
TLA-49506	1/4"	1"	1/2"	1/2"
TLA-49508	5/16"	1-1/8"	1/2"	1/4"
TLA-49510	5/16"	1-1/8"	1/2"	1/2"
TLA-49512	3/8"	1-1/4"	5/8"	1/4"
TLA-49514	3/8"	1-1/4"	5/8"	1/2"
TLA-49516	1/2"	1-1/2"	3/4"	1/4"
TLA-49518	1/2"	1-1/2"	3/4"	1/2"
TLA-49519	5/8"	1-3/4"	7/8"	1/2"
TLA-49520	3/4"	2"	1"	1/2"
TLA-49521	7/8"	2-1/2"	1-1/4"	1/2"
TLA-49522†	1"	2-1/2"	1-1/4"	1/2"
TLA-49523†	1-1/8"	2-3/4"	1-3/8"	1/2"
TLA-49524†	1-1/4"	3"	1-1/2"	1/2"
TLA-49525†	1-3/8"	3-1/4"	1-9/16"	1/2"
TLA-49526†	1-1/2"	3-1/2"	1-3/4"	1/2"

†Not guaranteed due to extreme diameter and radius. For best results, it is recommended to use a smaller radius bit or chamfer the material prior to using these large radius bits. Bit life will be prolonged and a smoother finish will result.

See the WP section for Woodtape Edgeworking & Veneers

CabinetWare®

Sarasota
1-800-226-6300


Jacksonville
1-866-855-1575

Orlando
1-888-575-1500

Tampa
1-800-257-1855


www.cabinetware.com

DOVETAIL BITS



2 flutes

Part Number	Angle	Cut Dia.	Carbide Height	Shank Dia.
TLA-45800	9°	3/8"	3/8"	1/4"
TLA-45802	9°	3/8"	3/8"	1/2"
TLA-45804	14°	1/2"	1/2"	1/4"
TLA-45806	14°	1/2"	1/2"	1/2"
TLA-45808	7°	5/8"	7/8"	1/2"
TLA-45810	7°	3/4"	7/8"	1/2"
TLA-45812	7°	7/8"	7/8"	1/2"
TLA-45814	14°	1"	1"	1/2"
TLA-45816	14°	3/4"	3/4"	1/2"
TLA-45818	14°	7/8"	7/8"	1/2"
TLA-45820	7.5°	1/4"	3/8"	1/4"
TLA-45821	7.5°	1/4"	3/8"	1/2"
TLA-45822	9°	5/16"	3/8"	1/4"
TLA-45823	9°	5/16"	3/8"	1/2"



2 flutes with upper ball bearing guide. 14° angle. Useful for template and pattern routing where the template is on top of the workpiece. Pattern will be on the bottom when used on a router table.


Part Number	Cut Dia.	Cut Height	Shank Dia.
TLA-45850	1/2"	1/2"	1/4"

CabinetWare

CLASSICAL MULTI-FORM BIT




2 flutes with ball bearing guide. Cuts over 40 patterns. Recommended for use in a router table.



Part Number	Bead Radius	Bit Dia.	Cut Height	Shank Dia.
TLA-54200	7/32"	2-1/4"	1-7/8"	1/2"


FINGER GRIP BITS



2 flutes

For drawer pulls & door lips. 1/2" shank.

Part Number	Bit Dia.	Rad 1	Rad 2	Carbide Height
TLA-53806	3/4"	3/32"	3/16"	3/4"
TLA-53808	1-1/2"	5/64"	15/64"	13/16"
TLA-53810	1-3/4"	3/32"	3/16"	13/16"




2 flutes

Part Number	Bit Dia.	Each Rad	Cut Height	Shank Dia.
TLA-53812	2"	1/4"	1-5/16"	1/2"

CabinetWare

FINGER JOINT ASSEMBLY



2 wing with ball bearing guide. Cut one finger through five-fingers in one pass and above five-fingers in multiple passes.

Part Number	Bit Dia.	Shank Dia.	Overall Length
TLA-55392	1-9/16"	1/2"	3-1/2"

CabinetWare

MORTISING BITS



CUTTER

2 flutes with a large gullet between.

Part Number	Cut Dia.	Cutting Length	Shank Dia.
TLA-45500	1/2"	3/4"	1/4"
TLA-45502	5/8"	3/4"	1/4"
TLA-45504	3/4"	3/4"	1/4"
TLA-45505	1-1/4"	3/4"	1/2"

Cutter only. 2 flutes. Screw type. 1/4" - 28 thread.

Part Number	Cutting Dia.	Cutting Length
TLA-45500	1/2"	3/4"
TLA-45502	5/8"	3/4"
TLA-45504	3/4"	3/4"
TLA-45505	1-1/4"	3/4"
TLA-55258	1-1/4"	5/8"


MOULDING BITS



Classical bit.

2 flutes with ball bearing guide.

Part Number	Bit Dia.	Each Rad	Carbide Height	Shank Dia.
TLA-54136	1-1/8"	5/32"	1/2"	1/4"
TLA-54138	1-3/8"	7/32"	11/16"	1/4"
TLA-54140	1-1/8"	5/32"	1/2"	1/2"
TLA-54142	1-3/8"	7/32"	11/16"	1/2"



Architectural bit.

2 flutes with ball bearing guide.

Part Number	Bead Rad	Bit Dia.	Cut Height	Shank Dia.
TLA-54220	1/8"	1"	1-11/16"	1/2"

CabinetWare

45° LOCK MITRE BIT



2 flutes. Can be used on 5/8" through 1-1/8" thick material. First piece is cut horizontal and the second is cut vertical. Not recommended for use in a pin router nor a router table unless the length of the material can be handled easily.

Part Number	Bit Dia.	Cut Height	Shank Dia.
TLA-55390	2-11/16"	1-3/16"	1/2"

CabinetWare

LEAF-EDGE BEADING BIT



2 flutes with double ball bearing guide.

Part Number	Each Rad	Bit Dia.	Cut Height	Shank Dia.
TLA-54190	3/16"	1"	1/2"	1/4"
TLA-54192	1/4"	1-1/8"	5/8"	1/4"
TLA-54194	3/8"	1-3/8"	7/8"	1/4"

OGEE BITS




2 flutes with ball bearing guide.

TLA-54120 & TLA-54122 have a 1/4" shank. TLA-54124 & TLA-54126 have a 1/2" shank.

Part Number	Bit Dia.	Rad 1	Rad 2	Cut Height
TLA-54120	1-1/8"	5/32"	5/32"	1/2"
TLA-54122	1-3/8"	1/4"	3/16"	11/16"
TLA-54124	1-1/8"	5/32"	5/32"	1/2"
TLA-54126	1-3/8"	1/4"	3/16"	11/16"

CabinetWare

CLASSICAL OGEE BITS



2 flutes with ball bearing guide.

TLA-54128 & TLA-54130 have a 1/4" shank. TLA-54132 & TLA-54134 have a 1/2" shank.

Part Number	Bit Dia.	Rad 1	Rad 2	Cut Height
TLA-54128	1-1/8"	5/32"	5/32"	1/2"
TLA-54130	1-3/8"	1/4"	3/16"	11/16"
TLA-54132	1-1/8"	5/32"	5/32"	1/2"
TLA-54134	1-3/8"	1/4"	3/16"	11/16"

CabinetWare

OGEE FILLET BITS



With ball bearing guide. 2 flutes. 1/2" shank. TLA-54110 = 1/4" shank.

Part Number	Bit Dia.	Rad 1	Rad 2	Cut Height
TLA-54110	1-3/8"	3/16"	9/64"	1/2"
TLA-54112	1-3/8"	3/16"	9/64"	1/2"
TLA-54114	1-5/8"	1/4"	15/64"	3/4"
TLA-54127	2"	3/8"	3/8"	15/16"

CabinetWare

RABBETING BITS



2 flutes with ball bearing guide.

Part Number	Cut Dia.	Cutting Length	Shank Dia.	Depth of Rab.
TLA-49300	1-1/4"	1/2"	1/4"	3/8"
TLA-49302	1-1/4"	1/2"	1/2"	3/8"

ROMAN OGEE BITS



2 flutes with ball bearing guide.

Part Number	Bit Dia.	Each Rad	Carbide Height	Shank Dia.
TLA-49200	1"	5/32"	5/8"	1/4"
TLA-49202	1"	5/32"	5/8"	1/2"
TLA-49204	1-3/8"	1/4"	7/8"	1/4"
TLA-49206	1-3/8"	1/4"	7/8"	1/2"

CabinetWare

DOUBLE ROMAN OGEE BITS




2 flutes with ball bearing guide.

Part Number	Bit Dia.	Each Rad	Carbide Height	Shank Dia.
TLA-49208	1"	5/32"	5/8"	1/4"
TLA-49210	1"	5/32"	5/8"	1/2"
TLA-49212	1-3/8"	1/4"	7/8"	1/4"
TLA-49214	1-3/8"	1/4"	7/8"	1/2"

CabinetWare

PANEL PILOT BITS




Single flute.

Part Number	Cutting Dia.	Cutting Length	Shank Dia.
TLA-45506	1/4"	3/4"	1/4"
TLA-45508	3/8"	1"	3/8"
TLA-45510	1/2"	1-3/16"	1/2"

CabinetWare

PRODUCTION SHEAR BITS



2 flutes. Straight bits. 3° down shear. For cutting composition board and melamine. Not intended to be used inverted in a router table.

Part Number	Cut Dia.	Cutting Length	Shank Dia.
TLA-45414.PS	3/8"	1"	1/2"
TLA-45420.PS	1/2"	1-1/4"	1/2"
TLA-45422.PS	1/2"	1-1/2"	1/2"
TLA-45426.PS	1/2"	2"	1/2"

RAISED PANEL BITS



Traditional bit. 1/2" shank dia.
2 flutes with ball bearing guide.

Part Number	Reveal	Angle	Bit Dia.	Cut Height
TLA-54117	1-7/16"±	15°	3-3/8"	1/2"



Ogee bit. 1/2" shank dia.
2 flutes with ball bearing guide.

Part Number	Reveal	Each Rad	Bit Dia.	Cut Height
TLA-54118	1-1/16"±	11/16"	2-5/8"	5/8"
TLA-54121	1-7/16"±	7/8"	3-3/8"	5/8"




Cove bit. 1/2" shank dia.
2 flutes with ball bearing guide.

Part Number	Reveal	Rad	Bit Dia.	Cut Height
TLA-54119	1-7/16"±	1-9/16"	3-3/8"	1/2"

±Reveal shown on all above tools reflects the total length of cut. Therefore, you must deduct (usually 3/8") for allowing the panel to recess into the frame.

CabinetWare

QUADRASET ADJUSTABLE SLOTTING ASSEMBLY



Two-wings with ball bearing guide. 1/2" depth of cut. Four cutters allows grooves and dados 1/8" through 23/32" in 1/32" increments. Can cut tongue and groove with proper set up.

Part Number	Dia.	Shank Dia.	Overall Length
TLA-53600	1/4"	1/4"	2-1/2"
TLA-53107	Extra 5/32" two-wing cutter		

CabinetWare®

www.cabinetware.com


Sarasota
1-800-226-6300

Jacksonville
1-866-855-1575

Orlando
1-888-575-1500

Tampa
1-800-257-1855

SLOTING CUTTER BITS




2 & 3 wing with ball bearing guide. 1/2" depth of cut. 1-7/8" diameter.

Two Wing Part Number	Kerf	Shank Dia.	Three Wing Part Number
TLA-53300	1/16"	1/4"	TLA-53400
TLA-53302	5/64"	1/4"	TLA-53402
TLA-53304	3/32"	1/4"	TLA-53404
TLA-53306	1/8"	1/4"	TLA-53406
TLA-53307	5/32"	1/4"	TLA-53407
TLA-53308	3/16"	1/4"	TLA-53408
TLA-53310	1/4"	1/4"	TLA-53410

CabinetWare

SLOTING CUTTERS




2 wing cutter 3 wing cutter

1-7/8" diameter. 5/16" bore.

Two Wing Part Number	Kerf	Three Wing Part Number
TLA-53100	1/16"	TLA-53200
TLA-53102	5/64"	TLA-53202
TLA-53104	3/32"	TLA-53204
TLA-53106	1/8"	TLA-53206
TLA-53107	5/32"	TLA-53207
TLA-53108	3/16"	TLA-53208
TLA-53110	1/4"	TLA-53210

CabinetWare

CLASSICAL STILE & RAIL BIT




2 wings with ball bearing guide. Makes both cuts by reversing the assembly. For best results rail should be cut on a router table.

Part Number	Reveal	Bit Dia.	Cut Height	Shank Dia.
TLA-55380	3/8"	1-3/4"	7/8"	1/2"

CabinetWare

CabinetWare.com
accepts orders
24 hours a day.

SPIRAL FLUTE PLUNGE BITS



UPCUT


DOWNCUT

2 flutes. Spiral bits produce faster, cleaner cuts in hardwoods, plastics, Corian® and other brands of solid surface materials, etc. 'Up-cut' design expels chips away from the workpiece, allowing for deeper and easier mortising. 'Down-cut' design expels chips away from the router. Premium micrograin carbide, increased clearance geometry and razor-sharp cutting edges with polished flutes provide a superior finish and longer tool life.

Up-cut Part Number	Cut Dia.	Cut Length	Shank Dia.	Down-cut Part Number
TLA-46100	1/8"	1/2"	1/4"	TLA-46200
TLA-46101	3/16"	5/8"	1/4"	TLA-46201
TLA-46102	1/4"	3/4"	1/4"	TLA-46202
TLA-46104	3/8"	1-1/4"	1/2"	TLA-46204
TLA-46106	1/2"	1-1/4"	1/2"	TLA-46206

CabinetWare

STAGGERTOOTH PLUNGE CUTTING BITS



Part Number	Cut Dia.	Cutting Length	Shank Dia.
TLA-51300	1/4"	1"	1/4"
TLA-51302	3/8"	1-3/8"	3/8"
TLA-51304	3/8"	1-1/2"	1/2"
TLA-51306	1/2"	1-1/2"	1/2"
TLA-51308	1/2"	2"	1/2"
TLA-51310	1/2"	2-1/4"	1/2"

CabinetWare


WAVY EDGE BIT



2 flutes with ball bearing guide.

Part Number	Bit Dia.	Each Rad	Cut Height	Shank Dia.
TLA-54180	1-1/4"	5/32"	11/16"	1/4"
TLA-54182	1-1/4"	5/32"	11/16"	1/2"

OGEE STILE & RAIL BIT




2 wings with ball bearing guide. Makes both cuts by reversing the assembly. For best results rail should be cut on a router table.

Part Number	Reveal	Bit Dia.	Cut Height	Shank Dia.
TLA-55350	3/8"	1-3/4"	7/8"	1/2"

CabinetWare


'V' GROOVE BITS



For decorative purposes only.

Part Number	Degree	Cut Dia.	Cut Height	Shank Dia.
TLA-45700	90°	3/8"	1/2"	1/4"
TLA-45702	90°	3/8"	1/2"	1/2"
TLA-45704	90°	1/2"	1/2"	1/4"
TLA-45705†	60°	1/2"	5/8"	1/4"
TLA-45708	90°	1/2"	1/2"	1/2"
TLA-45710	90°	5/8"	1/2"	1/4"
TLA-45712	90°	5/8"	1/2"	1/2"
TLA-45714	90°	3/4"	5/8"	1/4"
TLA-45716	90°	3/4"	5/8"	1/2"
TLA-45718	90°	7/8"	5/8"	1/4"
TLA-45720	90°	7/8"	5/8"	1/2"
TLA-45722	90°	1"	5/8"	1/4"
TLA-45724	90°	1"	5/8"	1/2"
TLA-45726	90°	1-1/4"	3/4"	1/2"
TLA-45728	90°	1-1/2"	1"	1/2"
TLA-45732	90°	2"	1-3/4"	1/2"

†60° bit designed for lettering and sign making.



2 flutes with ball bearing guide. For decorative purposes only. Useful for template and pattern routing where the template is on top of the workpiece. Pattern will be on the bottom when used on a router table.

Part Number	Degree	Cut Dia.	Cut Height	Shank Dia.
TLA-45750	90°	1/2"	1/2"	1/4"

TABLE EDGE BIT



'Ovolo' shape.

2 flutes with ball bearing guide.

Part Number	Dia.	Rad	Cut Height	Shank Dia.
TLA-49550	2-3/4"	1-3/4"	5/8"	1/2"

CabinetWare

TONGUE & GROOVE BIT




2 wings with ball bearing guide.

For 1/2" through 3/4" thick material.

Part Number	Dia.	Cut Height	Cut Depth	Shank Dia.
TLA-55400	1-3/4"	3/4"	3/8"	1/2"

CabinetWare


BEVEL TRIM BITS



2 flutes with ball bearing guide.

Part Number	Degree	Cut Height	Shank Dia.
TLA-47200	15°	9/32"	1/4"
TLA-47202	25°	9/32"	1/4"
TLA-47204	45°	1/4"	1/4"
TLA-47206†	25°	7/16"	1/4"
TLA-47210	8°	9/32"	1/4"


†TLA-47206 has a 3/8" diameter bearing for closer inside corner cutting.



3 flutes with ball bearing guide.

Part Number	Degree	Cut Height	Shank Dia.
TLA-47300	23°	7/16"	1/4"
TLA-47301	15°	7/16"	1/4"
TLA-47302	7°	7/16"	1/4"

DOUBLE BEVEL TRIM BIT




4 wings with ball bearing guide.

Part Number	Degree	Cut Height	Shank Dia.
TLA-47412	0°	15/16"	1/2"
TLA-47414	15°	15/16"	1/2"
TLA-47416	25°	15/16"	1/2"

CabinetWare

COMBINATION BEVEL & FLUSH TRIM BIT




2 flutes.

Part Number	Degree	Large Dia.	Cut Length	Shank Dia.
TLA-51100	23°	1/2"	1/2"	1/4"
TLA-51102	30°	1/2"	1/2"	1/4"


CabinetWare

FLUSH TRIM BITS




Part Number	Cut Dia.	Cutting Length	Shank Dia.
TLA-47090	1/4"	1/2"	1/4"
TLA-47092	1/4"	1"	1/4"
TLA-47100	3/8"	1"	1/4"
TLA-47102	3/8"	1/2"	1/4"
TLA-47104	1/2"	1"	1/4"
TLA-47106	1/2"	1/2"	1/4"
TLA-47108	1/2"	1"	1/2"
TLA-47110	1/2"	1/2"	1/2"
TLA-47112	1/2"	1"	3/8"
TLA-47140	3/4"	1"	1/2"

FLUSH TRIM BITS



3 flutes with ball bearing guide.

Part Number	Cut Dia.	Cut Length	Shank Dia.
TLA-47114	1/2"	1"	1/4"
TLA-47116	1/2"	1/2"	1/4"
TLA-47118	1/2"	1"	1/2"
TLA-47120	1/2"	1/2"	1/2"




Extra long!

2 or 3 flutes with ball bearing guide.

Part Number	Flutes	Cut Dia.	Cutting Length	Shank Dia.
TLA-47124	2	1/2"	1-1/2"	1/2"
TLA-47126	2	1/2"	2"	1/2"
TLA-47128	3	1/2"	1-1/2"	1/2"

CabinetWare

FLUSH TRIM PLUNGE BITS



2 flutes with upper ball bearing guide. Useful for template and pattern routing where the template is on top of the workpiece. Pattern will be on the bottom when used on a router table.

Part Number	Cut Dia.	Cutting Length	Shank Dia.
TLA-45460	1/2"	1"	1/4"
TLA-45461	1/2"	1-1/4"	1/4"
TLA-45462	5/8"	1"	1/4"
TLA-45463	3/4"	1"	1/2"
TLA-45464	3/4"	1"	1/4"
TLA-45465	3/4"	1-3/4"	1/2"
TLA-45466	1"	1"	3/8"
TLA-45467	1"	1-3/4"	1/2"
TLA-45468	1-1/8"	1-1/2"	1/2"
TLA-45469	1-1/4"	1-3/4"	1/2"
TLA-45470	1-1/2"	1-3/4"	1/2"
TLA-45472	2"	2"	1/2"

CabinetWare

CabinetWare never quits when it comes to supplying you with the most complete line of router bits.

Toll Free in the state of Florida
(800) 226-6300

www.cabinetware.com

See page WP-1 for our selection of wood products.

CabinetWare®

Sarasota
1-800-226-6300


Jacksonville
1-866-855-1575

Orlando
1-888-575-1500

Tampa
1-800-257-1855

STRAIGHT PLUNGE CUTTING BITS

Single Flute



1/4" Shank

Part Number	Cutting Dia.	Cutting Length	Overall Length
TLA-45100	1/8"	7/16"	2"
TLA-45102	3/16"	7/16"	2"
TLA-45104	1/4"	1/2"	2"
TLA-45106	1/4"	3/4"	2"
TLA-45108	1/4"	1"	2"

3/8" Shank

Part Number	Cutting Dia.	Cutting Length	Overall Length
TLA-45300	3/8"	1"	2-1/2"


1/2" Shank

Part Number	Cutting Dia.	Cutting Length	Overall Length
TLA-45302	3/8"	1"	2-3/4"
TLA-45304	1/4"	3/4"	2-1/2"
TLA-45306	5/16"	3/4"	2-1/2"
TLA-45308	1/2"	1-1/4"	2-7/8"
TLA-45310	1/2"	1-1/2"	3-1/8"
TLA-45312	1/2"	2"	4-1/4"
TLA-45314	9/16"	1-1/4"	2-7/8"
TLA-45316	5/8"	1-1/4"	2-7/8"

CabinetWare

STRAIGHT PLUNGE CUTTING BITS

2 Flutes



CabinetWare

strives to offer you the most complete selection of router bits. This page lists Amana's entire selection of "Straight Plunge Cutting Bits" as of the printing of this catalog. Many of the bits are NEW to the CabinetWare Catalog. We listed every bit to provide you with the choices that best suit your manufacturing needs. Please note that the part numbers are blocked together according to shank diameter.

CabinetWare stocks the most common used sizes. Many sizes are Special Order Only. Allow 10 days for delivery. Returns will only be accepted within 30 days less 35% on special order bits. Returns will only be accepted on unused bits. A refund credit can only be applied on another purchase and is subject to approval.

1/4" Shank

Part Number	Cutting Dia.	Cutting Length	Overall Length
TLA-45190†	1/16"	1/4"	1-5/8"
TLA-45192†•	3/32"	3/8"	1-3/4"
TLA-45200†•	1/8"	7/16"	2"
TLA-45201	5/32"	7/16"	2"
TLA-45202•	3/16"	7/16"	2"
TLA-45204	1/4"	1/2"	2"
TLA-45206	7/32"	3/4"	2"
TLA-45208	1/4"	3/4"	2"
TLA-45210	1/4"	1"	2"
TLA-45211‡	1/4"	1"	2-7/8"
TLA-45212	9/32"	1"	2"
TLA-45214	5/16"	1"	2"
TLA-45216	3/8"	3/4"	1-3/4"
TLA-45218	3/8"	1"	2-1/4"
TLA-45220	3/8"	1-1/4"	2-1/2"
TLA-45222	7/16"	1"	2-1/8"
TLA-45223	15/32"	3/4"	2"
TLA-45224	1/2"	3/4"	1-3/4"
TLA-45226	1/2"	1"	2-1/8"
TLA-45227	9/16"	3/4"	2-1/8"
TLA-45228	5/8"	3/4"	2"
TLA-45229	11/16"	3/4"	2"
TLA-45230	3/4"	3/4"	2"
TLA-45232	13/16"	3/4"	2"
TLA-45234	7/8"	3/4"	2"
TLA-45236	1"	3/4"	2"

•Solid carbide cutting edge.
 †Not guaranteed due to extreme diameter.
 ‡Not guaranteed due to extreme length.

3/8" Shank


Part Number	Cutting Dia.	Cutting Length	Overall Length
TLA-45400	3/8"	1-1/4"	2-1/2"
TLA-45402	3/8"	1"	2-1/2"
TLA-45404	3/8"	1-1/4"	2-3/4"
TLA-45406	1/2"	1"	2-1/2"

1/2" Shank


Part Number	Cutting Dia.	Cutting Length	Overall Length
TLA-45408•	1/4"	3/4"	2-1/2"
TLA-45410	5/16"	3/4"	2-1/2"
TLA-45412	5/16"	1"	2-3/4"
TLA-45413	3/8"	3/4"	2-1/2"
TLA-45414	3/8"	1"	2-3/4"
TLA-45415‡	3/8"	1-1/4"	2-7/8"
TLA-45416	7/16"	1-1/4"	3"
TLA-45418	1/2"	1"	2-5/8"
TLA-45420	1/2"	1-1/4"	2-7/8"
TLA-45422	1/2"	1-1/2"	3-1/8"
TLA-45424	1/2"	1-1/2"	4-1/4"
TLA-45425	15/32"	1-1/2"	2-7/8"
TLA-45426	1/2"	2"	4-1/4"
TLA-45427‡	1/2"	2-1/2"	4-1/2"
TLA-45428	9/16"	1-1/4"	2-7/8"
TLA-45429	17/32"	1-1/4"	2-7/8"
TLA-45430	5/8"	1"	2-5/8"
TLA-45432	5/8"	1-1/4"	2-7/8"
TLA-45433	5/8"	2"	3-3/4"
TLA-45434	5/8"	1-1/2"	3-1/8"
TLA-45435	21/32"	1-1/4"	2-7/8"
TLA-45436	11/16"	1-1/4"	2-7/8"
TLA-45438	3/4"	1"	2-5/8"
TLA-45440	3/4"	1-1/4"	2-7/8"
TLA-45441	3/4"	2"	3-5/8"
TLA-45442	3/4"	1-1/2"	3-1/8"
TLA-45443	25/32"	1-1/4"	2-7/8"
TLA-45444	13/16"	1-1/4"	2-7/8"
TLA-45446	7/8"	1-1/4"	2-7/8"
TLA-45447	1"	2"	3-5/8"
TLA-45448	1"	1-1/4"	2-7/8"
TLA-45449	1-1/8"	1-1/4"	2-7/8"
TLA-45450	1-1/4"	1-1/4"	2-7/8"
TLA-45451	1-3/8"	1"	2-5/8"
TLA-45452	1-1/2"	1-1/4"	2-7/8"
TLA-45453	1-3/4"	1-1/4"	2-7/8"
TLA-45480	2"	1-1/4"	2-7/8"

•Solid carbide cutting edge.
 ‡Not guaranteed due to extreme length.

CabinetWare



FLUSH TRIM 'V' GROOVE BIT




2 flutes with ball bearing guide.

Part Number	Cut Dia.	Cut Length	Shank Dia.
TLA-47160	5/8"	1"	1/4"
TLA-47162	5/8"	1"	1/2"

CabinetWare


HOLE & FLUSH CUT TRIM BIT



Part Number	Cutting Length	Shank Dia.	Overall Length
TLA-51712	1/4"	1/4"	1-1/2"

CabinetWare

PANEL PILOT TRIM BITS




Solid carbide. 1 flute.

Part Number	Degree	Cutting Length	Shank Dia.
TLA-51200	0°	1/4"	1/4"
TLA-51202	7°	1/4"	1/4"

See our index in the front of the catalog for locating the hardware you need **FASTER....**

Notes _____

OVERHANG TRIM BITS




2 flutes with ball bearing guide. Used for preliminary laminate trimming, leaving a small overhang to be trimmed using a standard trim bit. Reduces chipping material.

Part Number	Overhang	Cut Dia.	Cutting Length	Shank Dia.
TLA-47190	1/8"	3/8"	1/2"	1/4"
TLA-47192	1/16"	1/2"	1/2"	1/4"
TLA-47194	1/16"	1/2"	1/2"	1/2"

CabinetWare

TRIM CUTTER BIT



4 wings with ball bearing guide.

Part Number	Degree	Cutting Length	Shank Dia.
TLA-47400	0°	1/4"	1/4"
TLA-47402	0°	1/4"	1/2"
TLA-47404	15°	1/4"	1/4"
TLA-47406	15°	1/4"	1/2"
TLA-47408	25°	1/4"	1/4"
TLA-47410	25°	1/4"	1/2"

CabinetWare


CROSSCUT SAW BLADE



Crosscut 10" Saw Blade For Plywood And Laminated Materials 60 Teeth 12 Degree Hook 5/8" Bore Triple Chip Grind

TLA-MD10.601

INDEXABLE FLUSH & BEVEL TRIM BITS




2 flutes with ball bearing guide.

Part Number	Degree	Dia.	Carbide Height	Shank Dia.
TLA-1000	0°	3/4"	15/32"	1/4"
TLA-1002	0°	3/4"	1-1/8"	1/4"
TLA-1004	0°	3/4"	1-1/8"	1/2"
TLA-1008	15°	13/16"	7/16"	1/4"
TLA-1010	25°	31/32"	7/16"	1/4"
TLA-1012	30°	1"	7/16"	1/4"
TLA-1014	45°	1-1/16"	7/16"	1/4"

CabinetWare

HELIX LAMINATE TRIM BIT



2 flutes with ball bearing guide.

Part Number	Type of Cut	Cut Dia.	Cutting Length	Shank Dia.
TLA-47180	Flush	5/8"	5/8"	1/4"
TLA-47182	Flush	3/4"	5/8"	1/4"
TLA-47184	15°	3/4"	3/8"	1/4"

MELANINE SAW BLADE




Melamine 10" Saw Blade For Double Sided Malamine Materials 80 Teeth 5/8" Bore Acute Angle Aternate Top Bevel

TLA-MD10.601


Please note - Some products featured in this catalog may not be stock items. See CabinetWare.com for current stock availability.

QUICK-SET DRILL JIG



Hafele drilling jig for drawers and doors. 274mm long.
TL-001.31.233

SMART CLIP



Install countertop backsplash easier and quicker. Allows form fitting to nearly any wall surface. Screw smart clip down to the countertop. Route the Formica backsplash and install screws. Drive in place backsplash into smart clips.

- FA-SC2** Smart clip
- TL-SC01** Rabbeting bit for backsplash.
- TL-SC02** Depth gauge for backsplash screws.
- TL-SC18** Spacing bar template for smart clip and screw installation.

CabinetWare

**PULL / KNOB
HOLE DRILLING
JIGS**



Made of hard plastic with case hardened bushings. Set up for 3" hole centers but can be adapted for other centers or for single hole drilling. Mount to wood block.

For pulls without studs.
TL-JIG44

For pulls with studs that mortise into door or drawer.
TL-JIG44A

CabinetWare

TOOL MATE PAD



Non-slip pad holds tools in place. For workbenches and tool chests. Black.

- TL-PAD1272** 12" x 72" pad.
- TL-PAD2448** 24" x 48" pad.



CabinetWare

FILES

Used for fast removal of plastic, high pressure laminates, stainless steel, and other metals.



MILL: used for finish filing to get the smoothest edge.

- TL-F10M** 10" mill file.
- TL-F12M** 12" mill file.
- TL-F14M** 14" mill file.



FLAT: used for quickest stock removal. Chip breaker groove helps give smooth edge.

- TL-F12F** 12" flat file.
- TL-F14F** 14" flat file.


**MAGNETIC
BIT HOLDER**



3" long. For 1/4" hex drive inset bits.
TL-THMAGBITHTS

CabinetWare

**1/4" HEX DRIVE
INSERT BITS**



#2 square drive. 2-3/32" long.
For number 8-9-10 screws.
TL-TBS200X100TS




#1 point Phillips small. 1" long.
TL-DR4PRZ



#2 point Phillips large. 1" long.
TL-DR4P2




#2 Pozi Drive. 1" long.
TL-TBP200X100TS




#2 Pozi Drive. 2" long.
TL-TBP200X200TS

ACCUSPRAY SPRAY GUN



ACCUSPRAY®



PROPACK 36 Series 10 Gun. Compressed air HVLP gun. Designed for maximum flexibility in adjusting pressures to achieve desired results. It combines AccuSpray's low pressure inlet gun with a mini-regulator/gauge for precision control of low pressure atomizing air. This package includes: Series 10 gun, 1 quart cup, mini-regulator w/ gauge, 2 aluminum air caps #7 & #9, 3 Delrin tipped needles and 3 nozzles #'s .028, .036, & .043.

TLS-36.PROPACK

For access in small areas or tighter corners, try the 1/2 pint cup. Also can be used for touch ups when a lesser amount of paint is needed.

TLS-CUP.4111

One quart cup. For replacement or spare.

TLS-CUP.4122

Accessory items are available through CabinetWare. Turbines, Delrin tips, stainless steel nozzles, air caps, rebuild kits, and parts. Contact your sales representative or CabinetWare for more information.

See pages UP-1 to UP-6 for M.L. Campbell Lacquers & Finishes.

EDGEBANDING IRON



Used for applying adhesive backed edgelanding. Non-stick soleplate coating. Heats up to 350° F. Handle is 6" long.

TL-1EB


CabinetWare

PRESSURE ROLLERS



For *heavy duty* rolling of plastic laminate. Heavy duty 1/2" dia. steel handle. 1-1/2" x 3" wide nonmarking black rubber roller. Two ribbed vinyl grips. 14 3/4" long.

TL-V300



For rolling of plastic laminate. 1/2" dia. steel handle. 1-1/2" x 3" wide nonmarking black rubber roller. Two ribbed vinyl grips. 12 1/2" long.



TL-J200B

CabinetWare

Notes _____

Please note - Some products featured in this catalog may not be stock items. See CabinetWare.com for current stock availability.

MINIPRESS DRILLING AND INSERTION MACHINES






3 phase: 220 V, 60 Hz
TLB-M51N1004

Single phase: 220V, 60 Hz
TLB-M51N1053

Minidrill
TLB-M51N1053.50

7 spindle line-boring head.
TLB-MZK.1000

The machine that drills and inserts all types of Blum press-in hinges and fittings. Install hinges and mounting plates, line bore panels, install Metabox front fixing brackets and install assembly fittings with this one machine. Includes 1.1 HP motor, insertion ram, 600 mm fence with metric "System 32" and inch scale with two positioning stops, one set of tools and working table. A wide variety of drilling patterns are possible with the five spindle swivel head. With a simple release of a locking pin, the head can be rotated 90° to change from door to end panel drilling.



With this position, the following drill-
ing patterns are possible:

1) drilling for hinge cup with side dow-
els. Use spindles A, B, B.

2) drilling for 32 mm system holes. Use
spindles C, A, C.

ACCESSORIES

Line-boring head.
TLB-MZK.1000.US

Plexiglass shield.
TLB-M30.1316.01

1250 mm (50") extension ruler.
TLB-MZL.1250.US

Extension ruler support.
TLB-MZV.1000

Center rule 600 mm.
TLB-M30.0212

Center stop.
TLB-MZR.2000

Ruler stop, right hand.
TLB-MZS.2000.R

Ruler stop, left hand.
TLB-MZS.2000.L

Ram for drawer front adjusters.
TLB-MZM.0095

Ram for 100° & thick door hinges.
TLB-MZM.0011

Ram for 110° & 125° hinges.
TLB-MZM.0010

Insertion ram for 170° hinge.
TLB-MZM.0018

Ram for blind corner & diagonal.
TLB-MZM.0019

Ram for Compact series 33.
TLB-MZM.0037

Ram for 40.0110 Housing.
TLB-MZM.0070

Ram for 320M & H series.
TLB-MZM.0092

Insertion ram for 320N series.
TLB-MZM.0093

5 mm bit. Carbide tip. Right.
TLB-M01.ZB05.D2.R

5 mm bit. Carbide tip. Left.
TLB-M01.ZB05.D3.L

Tandem tool set.
TLB-T65.9000

Tandem 2.5 mm drill bit.
TLB-DB.2.5MM

Tandem 6 mm drill bit.
TLB-DB.6MM

2 mm drill bit.
TL-463002

10mm x 2mm Bushing
TL-365020

METABOX ASSEMBLY EQUIPMENT

Front fixing bracket knock-in tool for 320M, 320H, 330M, & 330H series METABOX.

TLB-ZME.1600.01

Marking template for locating 320M & 320H series front fixing brackets on drawer front.

TLB-ZML.1500

Marking template for locating 320N series front fixing brackets on drawer front.


TLB-ZML.1510

Marking template for locating gallery rod sockets.

TLB-ZML.8000.02

CabinetWare

MINIFIX JIG



Mounting tool for 230 slides.
TLB-65.3300

CabinetWare


QUICKFIX JIG



Used for locating hinges to their corresponding mounting plates and vice versa. Involves little or no measuring. Sold as a kit.

TLB-65.7500

TEMPLATES



Drilling template. Locates predrill screw holes for all mounting plates.
TLB-65.5300

CabinetWare

TANDEM TEMPLATES




TANDEM Boring Template: locate predrill screw holes for runner guide hooks, locking devices, & runners.
TLB-T65.1000.02

Drawer Front Template: locate drawer front adjuster on drawer box and drawer front.
TLB-65.2950.10

METABOX Layout Template: Universal for left and right sides. Set includes template for each series of Aluminum and Steel METABOX drawers. Instructions.
TLB-METATEMP


CabinetWare

CALIPER



175mm scale. Measures: inside, outside, & depth dimensions.
TLB-CALIPER

TAPE MEASURE



3 meter (10ft.) tape with lock.
TLB-TAPE

CabinetWare


RETRACTING PILOT BIT



Retracts. 3.5mm bit. **TLB-VPB.5**

CabinetWare

POZI DRIVER SCREWDRIVER



2 head. Slightly magnetized.
TLB-POZI

CabinetWare

Notes _____

Please note - Some products featured in this catalog may not be stock items. See CabinetWare.com for current stock availability.

3rd HAND



Adjustable support for drywall, crown moulding or use multiple pieces to create a dust barrier. Adjusts from 5' to 12' with fine adjustment knob, neoprene foam grip, 3" x 3" top and bottom feet & ergonomic lever action. Supports up to 70 lbs.

TL-3.HAND.5HD

Dust barrier clip

TL-3.HAND.DB.CLIP

Carrying bag

TL-3H.CARRYING.BAG

Universal foot allows the 3rd Hand to free stand.

TL-3H.CARRYING.BAG

Laser mount. Allows you to mount a laser level to your 3rd Hand.

TL-3HLASERMOUNT

CabinetWare

LASER JAMB



Mounting device for any laser. Comes with precision calibrated scale, & adjustable sight glass. Reaches up to 12' 6". Includes protective carrying case with laser enhancing glasses & solo mount for free standing. Laser sold separately.

TL-LJ3.PRO

LITTLE HAND



Same as the 3rd Hand but smaller. Adjusts from 16-1/2" to 23". Supports up to 70 lbs. Comes with Universal foot.

TL-3.HAND.5HD

CabinetWare

JACK OF ALL TRADES



Makes lifting base cabinets, installing shims or adjusting leg levelers easier. It clamps, lifts & separates. Up to 23" spread, 15 1/4" lift & 13" clamp.

TL-JACK

CabinetWare

SPEED DOLLIE



Move cabinets effortlessly with just one person. Lightweight aluminum frame & compact design is perfect for use in tight spaces. Non-marring rubber wheels. 250 lbs load capacity.

TL-SPEED.DOLLIE

SAFETY GLASSES



Shatter proof, wraparound lense with adjustable length arms & ultra comfort rubber nose piece. Available in four different lens choices.

UP-SG.P510

Clear lenses

UP-SG.A510

Amber lenses

UP-SG.T510

Tinted lenses

UP-SG.M510

Mirrored lenses

CabinetWare

BALLISTIC APRONS



Designed with the woodworker in mind. These aprons offer neck saving shoulder straps, strategically placed pockets & durable construct.

Black Ballistic Nylon.

UP-APRON

Cotton Duck.

UP-DUCK.APRON

CabinetWare

ARMADILLO GLOVES



Durable gloves loaded with features such as open thumb & forefingers for precision work, gripper palm pads, & even a nose wiping surface.

Small

UP-ARM.GLOVES

Medium

UP-ARM.GLOVEM

Large

UP-ARM.GLOVEL

X-Large

UP-ARM.GLOVE.XL

TAPE MEASURES

FastCap offers 5 different style tape measures. Each one offers an erasable notepad, shock-resistant rubber casing, dual thumb & finger locks, easy belt clip, built in stainless steel pencil sharpener, high-contrast black on white scale & heavy-duty 1" blade with 4 rivet construction.



PS Series

Standard measurement on blade.

- TL-PS16** 16' length
- TL-PS25** 25' length



PSSP Series

Standard measurement on one side of blade, blank side on other to write on.

- TL-PSSP.16** 16' length
- TL-PSSP.25** 25' length



PSSR Series

Standard measurement on both sides of blade so it can be read on right or left handed.

- TL-PSSR.16** 16' length
- TL-PSSR.25** 25' length



PMS Series

Standard measurement on one side of blade, metric on the other.

- TL-PMS.16.P** 16' length
- TL-PMS.25.P** 25' length



PMMR Series

Metric on both sides of blade so it can be read right or left handed.

- TL-PMMR.5M** 5 meters long



Flatback Series

Measures curves and flat panels with the precision limp blade. Available with standard measure / story pole or metric measure / story pole. 16' long.

- TL-PSSP.FLAT16** Standard
- TL-PMS.FLAT16** Metric

ACCUSCRIBE



Maintain a consistent scribe offset & stay parallel to the object surface every time. Non-rocking bottom. Can be used as a marking gauge.

TL-ACCUSCRIBE

CabinetWare

HOOKER



Stops counter top cutouts from crashing down. Use one hooker per side, turn and the cutout is held securely.

TL-HOOKER

CabinetWare

TRI-BLADE



Retractable, auto-locking snap-off blade has comfortable rubber grip & convenient blade storage in knife.

TL-TRIBLADE

Replacement blades. 10 pack.
TL-TRIBULK.REPLACE

CabinetWare



CabinetWare.com

The best tool in your office!

Log on to view color pictures and more from **FastCap**.

CabinetWare®

www.cabinetware.com

Sarasota
1-800-226-6300

Jacksonville
1-866-855-1575

Orlando
1-888-575-1500

Tampa
1-800-257-1855

Please note - Some products featured in this catalog may not be stock items. See CabinetWare.com for current stock availability.

